

Sambonet Paderno Industrie S.p.A.

I - 28060 Orfengo (No) – Via Giovanni Coppo, 1C
 Tel: +39 0321.879.711 - Fax: +39 0321.879.811
 www.rosenthal.de - www.sambonet.com - www.paderno.it

DICHIARAZIONE DI CONFORMITA' ACCESSORI IN PA+

1 Con la presente si dichiara che gli accessori in PA+ sono composti da:

- Materiale Corpo: Poliammide (nylon 6.6) con fibra di vetro

sono conformi

a tutte le disposizioni legislative pertinenti, con particolare riferimento alla seguente legislazione comunitaria CE:

Regolamento 1935/2004/CE
 Regolamento 1895/2005/CE
 Regolamento 2023/2006/CE
 Direttiva 2002/72/CE e successivi aggiornamenti e modifiche
 Regolamento UE 10/2011

ed alla seguente legislazione Italiana

Decreto Ministeriale 21/03/1973 e successivi aggiornamenti e modifiche,
 DPR 777/82 e successivi aggiornamenti e modifiche.

2 I prodotti sopra citati sono fabbricati con il materiale sopra riportato, nello specifico il materiale che entra a contatto con gli alimenti, idoneo al contatto è:

Poliammide (nylon 6.6) con fibra di vetro

3 Il materiale a contatto con gli alimenti contiene sostanze sottoposte a restrizioni nella legislazione citata, rispetta i limiti di migrazione globale e le restrizioni specifiche alle seguenti condizioni di prova:

Simulant Used	Test Condition	Overall Migration (mg/dm ²)	Maximum Permissible Limit (mg/dm ²)
		Sample No.1	
Distilled water	2 hour at 100°C	3.1	8
3% Acetic acid(w/v)	2 hour at 100°C	< 3.0	8
50% Ethanol (w/v)	2 hour at 100°C	4.3	8
Substitute of Olive oil			
95% Ethanol	6 hour at 60°C	< 3.0	8
Isooctane	4 hour at 60°C	< 3.0	8

Note : 1. mg/dm² = milligram per square decimeter

2. °C = degree Celsius

3. < = less than

4. The test data is obtained by considering the articles intended for repeated use as per described in Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex V.

Sambonet Paderno Industrie S.p.A.

I - 28060 Orfengo (No) – Via Giovanni Coppo, 1C
 Tel: +39 0321.879.711 - Fax: +39 0321.879.811
 www.rosenthal.de - www.sambonet.com - www.paderno.it

2)

Test Item	Result (mg/kg)	Detection Limit (mg/kg)	Permissible Limit (mg/kg)
	No.1		
Barium	N.D.	0.25	1
Cobalt	N.D.	0.01	0.05
Copper	N.D.	0.25	5
Iron	N.D.	0.25	48
Lithium	N.D.	0.5	0.6
Manganese	N.D.	0.25	0.6
Zinc	N.D.	0.5	25

Note : 1. mg/kg = milligram per kilogram of foodstuff in contact with
 2. °C = degree Celsius
 3. N.D. = Not Detected
 4. Permissible Limit is according to Commission Regulation (EU) No 10/2011 of 14 January 2011

3)

Test Item	Result (mg/kg)	Detection Limit (mg/kg)	Permissible Limit (mg/kg)
	No.1		
Specific migration of Aromatic Amine	N.D.	0.01	0.01

Note : 1. mg/kg = milligram per kilogram of foodstuff in contact with
 2. °C = degree Celsius
 3. N.D. = Not Detected
 4. Permissible Limit is according to Commission Regulation (EU) No 10/2011 of 14 January 2011

4)

Simulant Used	Result	Requirement
	No.1	
3% Acetic Acid (W/V) Aqueous Solution	More than 95% transmission	More than 95% transmission
Rectified Olive Oil	More than 95% transmission	More than 95% transmission

4 I limiti di migrazione globale, unitamente alle restrizioni specifiche alle quali possono essere sottoposti gli articoli hanno evidenziato che gli articoli risultano essere idonei al contatto con gli alimenti, nelle condizioni previste dal metodo di legge, in conformità ai limiti definiti dal Regolamento 10/2011/UE, dal DPR 777/1982 e dal DM 21/03/1973 e successivi aggiornamenti e modifiche.

5 Le condizioni d'uso del prodotto in PA+ sono le seguenti:

Prima dell'uso lavare accuratamente con acqua calda e sapone, risciacquare ed asciugare. Non lasciare mai gli articoli su fonti di calore. Per la pulizia si raccomanda di non usare detersivi contenenti cloro (ad esempio la candeggina). Evitare violenti urti e sbalzi di temperatura. Resiste fino a una temperatura di 220°C.

Attenzione!

Si consiglia di comunicare allo scrivente se le condizioni di utilizzo dell'articolo realizzato non rispettano i consigli forniti .

6 Questa dichiarazione è redatta in conformità con l'art. 16 del Regolamento Quadro della Comunità Europea 1935/2004 CE .

Sambonet Paderno Industrie S.p.A.

I - 28060 Orfengo (No) – Via Giovanni Coppo, 1C
Tel: +39 0321.879.711 - Fax: +39 0321.879.811
www.rosenthal.de - www.sambonet.com - www.paderno.it


7 L'utilizzazione in sede industriale o commerciale del materiale indicato nella presente dichiarazione è subordinata all'accertamento della sua conformità alle norme vigente nonché all'idoneità tecnologica allo scopo cui è destinato.

8 Questa dichiarazione ha validità a partire dalla data sotto riportata e sarà sostituita quando interverranno cambiamenti sostanziali nella produzione del manufatto, o della materia prima utilizzata, in grado di mutare alcuni requisiti essenziali ai fini della conformità o quando i riferimenti legislativi al punto 1 sono modificati od aggiornati in modo da richiedere una nuova verifica ai fini della conformità.

9 Inoltre comunichiamo che tutta la documentazione di supporto necessaria è a disposizione dell'autorità di controllo, così come previsto dal Regolamento Quadro 1935/2004 CE all'articolo 16 comma 1.

Orfengo, 10 gennaio 2017

Sambonet Paderno Industrie S.p.A.
Responsabile Assicurazione Qualità
Claudia Sguaita



Sambonet Paderno Industrie S.p.A.

I - 28060 Orfengo (No) – Via Giovanni Coppo, 1C
 Tel: +39 0321.879.711 - Fax: +39 0321.879.811
 www.rosenthal.de - www.sambonet.com - www.paderno.it

DECLARATION OF CONFORMITY PA+ ACCESSORIES

1 Here below we declare that PA+ accessories are made of :

- Material of the body: Polyamide (nylon 6.6) with glass fibre

is suitable

to all legislative direction pertinent, with particular reference to the following CE Community legislation :

Regulation 1935/2004/CE
 Regulation 1895/2005/CE
 Regulation 2023/2006/CE
 Instruction 2002/72/CE and following updating and changes
 Regulation 10/2011/CE

And to following Italian legislation

Ministerial decree 21/03/1973 and following updating and changes,
 DPR 777/82 and following updating and changes.

2 The product above mentioned is made of the above mentioned material. In specific material which is in touch with foods, suitable with contact with aliment is:

- Polyamide (nylon 6.6) with glass fibre

3 The material in touch with foods contains substances subjected to restrictions in mentioned legislation, it respects limit of global migration and specific restrictions at the following conditions of test:

Parameters	Method	U.M.	REsults	Max. Lim. Following current rules
Coloured plastic (all types) Migration test of colourings in acetic acid 3%	DM n. 104 21/03/1973 and smi – sez. 7; All. IV -	% trasmission	>99	>95
Polyamide – Global migration in simulating acetic acid 3% at temperature of 100 °C for 1 hour		mg/Kg	<1	60
Polyamide – Global migration in simulating in isooctane 10% at temperature of 60°C for 1 hour		mg/Kg	<1	60

Sambonet Paderno Industrie S.p.A.

I - 28060 Orfengo (No) – Via Giovanni Coppo, 1C
Tel: +39 0321.879.711 - Fax: +39 0321.879.811
www.rosenthal.de - www.sambonet.com - www.paderno.it

4 Limits of global migration together with specific restrictions to which they can be subjected the items, stressed that the items are suitable to contact with aliment, in conditions forecast by law's method, in compliance with decree 777/1982, DM 21/03/73 and following updating and changes and Regulation 10/2011.

5 The conditions of use of PA+ products are the following:

Before use wash them with care with hot water and soap, rinse them and dry.

Never leave the items on heat source.

For cleaning we recommend to do not use deteratives containing chlorine (for example bleach). Avoid violent pushes and sudden changes of temperature. They resist till a temperature of 220 °C.

Attention!

We suggest to communicate to writer if the conditions of use of the item do not respect the suggestions given.

6 This declaration is drawn up in compliance with art .16 of Rule of European Community 1935/2004 CE. 1935/2004 CE .

7 User in industrial or commercial office of material indicated in this declaration is subordinated to its conformity to current laws, still less to technological suitability to its purpose.

8 The validity of this declaration starts from below listed date and will be replaced when there will be important changes in production of handmade article , or of raw material used, that can change some essential requirements of conformity or when legislative references at point 1 are modified or updated so to need a new inspection of conformity.

9 Furthermore we inform you that all the documentation of support necessary is available to Checking Authority, as forecast from Master Regulation 1935/2004 CE article 16 clause 1.

Orfengo, 10th january 2017

Sambonet Paderno Industrie S.p.A.

Quality Manager

