

Declaration of compliance for materials and articles intended to come into contact with food

The Manufacturer or his authorized representative who is established in the community:

AVAMOPLAST NV
KAARDERSLAAN 18
BE -9160 LOKEREN

declares that the following products:

All articles made in HPP

are produced in compliance with the European legislation, in particular with Regulation (EC) **No. 1935/2004** regarding plastic materials and articles intended to come into contact with food and taking into account the requirements of Regulation (EC) **No 2023/2006** related to good manufacturing practice for materials and articles intended to come into contact with foodstuffs.

Our HPP production is also in compliance with EU Regulation **No 10/2011** regarding plastic materials and articles intended to come into contact with food.

The monomers and additives used to produce these products are listed in the Union List of Authorized Substances of Regulation 10/2011/EC. This certificate takes into account the amendments of Regulation (EC) **No 10/2011**.

OVERALL MIGRATION: (Based on certificate N° 38806 of Total)

According to Regulation (EU) 10/2011 (Annex III and Annex V), the overall migration limit is set at a maximum value of 10 mg/dm² or 60 mg/kg. (Regulation (EU) 10/2011).

We inform you that some overall migration tests (experimental tests and/or theoretical calculation) were carried out on the product (or a specimen representative of this material) ,(100%) single use conditions. The results show that the product tested complies with the requirements in EU regulation EC 10/2011.

The standardized testing condition covers the following food contact conditions:

- a long term storage at room temperature or below
- heating up to 70° C for up to 2 hours
- heating up to 100°C for up to 15 minutes
- with all types of food

Eurofins realized overall migration tests, in order of Avamoplast, of a mix of HPP with RPP, and HPP with CPP.

All test had good results.

DUAL USE ADDITIVES: (Based on report Total 07/02/2020)

	Ref. n°	Restrictions
E470a Sodium, potassium and calcium salts of fatty acids and E470b Magnesium salts of fatty acids	89040 and 70400	Quantum satis
E475 Polyglycerol esters of fatty acids	30960	500 ppm
E 471 Mono and diglycerides of fatty acids	56585	4000 ppm

SPECIFIC MIGRATION LIMIT: (Based on report Total 07/02/2020)

CAS RN:	9003-07-0	
Substance Name:	Ref.N°:	SML:
9,9-bis (methoxymethyl)fluorene	39815	0,05 ppm
Glycerides, Castor Oil mono-,hydrogenates, Acetates	55910	(T): 60 ppm expressed as the sum of the substances of Group restriction
Lithium of authorized acid salt of benzoic acid with an SML of 0,6 ppm as Li Art 6(a) derogation 10/2011 EU	37600	0,6 ppm expressed as Lithium
3,3-bis(methoxymethyl)-2,5-dimethylhexane	39925	0,05 ppm

We inform you that we have ensured that these substances subject to limitation do not exceed the limits set by the regulations.

We inform you that certain experimental tests and/or theoretical calculation for specific migration were carried out on the above mentioned Product (or a specimen representative of this material) used at 100% - thickness of the sheet 250 µm – contact period 10 days at 40° C – in the four standard food simulants – passed.

Absence of Allergen Substances – as listed in Annex II of Regulation EU 1169/2011

Absence of Bisphenol A, B, F and S

Absence of heavy metals – directive 94/62/EC : The overall concentration of cadmium, mercury, lead and chromium is lower than 100 ppm

Absence of Recycled Materials – as defined in Commission Regulation 282/2008/EC

Completed in Lokeren
Date: 01/09/2021

Sylvie Van Moeseke,
Quality Manager



DIMENSIONS

Article	SN5107085P300
EAN	542004050187
Process	Injection moulding
Material	PP TR
Weight	3,3 g ± 0,2 g
Dimensions	∅ 70 x 34 mm
Capacity	85 cc

USE

	yes	no
Sealable	<input checked="" type="checkbox"/>	
Food approved	<input checked="" type="checkbox"/>	
Dry food	<input checked="" type="checkbox"/>	
Fatty food	<input checked="" type="checkbox"/>	
Waterbased food	<input checked="" type="checkbox"/>	
Acetic food	<input checked="" type="checkbox"/>	
Microwave	<input checked="" type="checkbox"/>	
Oven		<input checked="" type="checkbox"/>
Dishwasher	<input checked="" type="checkbox"/>	
Deep Freezer (< -18°C)		<input checked="" type="checkbox"/>

Use with lid OD 70,5

For further information, please contact Avamoplast.

TEMPERATURES

Minimum	-18° C
Maximum	+120° C

Suitable for long term storage at room temperature or below

Suitable for heating up to 70°C for 2 h

Suitable for heating up to 100°C for 15 min

Our goods should be stored:

- In a moisture free hall at normal temperatures
- In the original and closed packaging

PACKAGING

Box	1000 pc
Boxes/pallet	40 x 1000 pc
Weight/box	4,1 kg
Weight/pallet	164 kg (excl. pallet)
Dimensions box	470 x 310 x 250 mm
Dimensions plastic bag	610 x 410 x 900 mm

QUALITY CONTROL - TRACEABILITY


All articles are daily checked by quality control. Avamoplast is certified by BRCGS. Declaration of compliance is available on demand (N° AVA-001). Each label is provided with a batch number and a serial number. Each box has a label in the right upper corner. We need this information for traceability request. We guarantee traceability info for 5 years.

COLORS – DECORATION - MATERIAL

- Cups are standard available in PP clear. Other colors available on demand.

RECYCLING INFORMATION

- PP : 100 % recyclable



This information is based on the current knowledge of Avamoplast NV. The user of this packaging is responsible to test in the conditions of use. Avamoplast can't be held responsible for abuse of her products.

Sylvie Van Moeseke, Quality Manager