

## **Declaration of Conformity with the requirements of Food Contact Legislation**

The manufacturer or his authorized representative established in the Community:

Name: Paardekooper BV
Adress: W. Beukelszstraat 16

3261 LV, Oud-Beijerland

Netherlands

#### Declares that (the) products described below

Article nr.	Description	Material
600767	Buigrietje ass. papier 220x6mm FSC	Paper

Is (are) suitable for food contact and complies with:

- Regulation of the European Parliament 2004/1935/EC on materials and articles intended for food contact,
- Directive 94/62/EC on packaging and packaging waste and heavy metals,
- Regulation 2023/2006 of December 2006 on good manufacturing practise for materials and articles to come into contact with food and subsequent additions,
- Dutch legislation on foodcontact materials (Warenwetbesluit verpakkingen en gebruiksartikelen)
- With reference to German Food and Feed Code (lebensmittel-und Futtermittelgesetz, LFGB)

This declaration does not apply if an article is used in other circumstances than described below. It is in this case that the downstream user is responsible to comply with the relevant legislation.

# **Sensory Test:**

### 4.6 Sensory Analysis

Parameter	Food simulant	Median Grade	Limit value# <sup>1</sup>
Odour	Chocolate	No recognizable deviation	2.5
Taste	Chocolate	No recognizable deviation 0	2.5

<sup>#&</sup>lt;sup>1</sup> From 61. Statement of BfR, Bundesgesundheitsbl. 46, 2003, 362-5.

## **Specific Migration:**

### 4.3 Specific Migration

Parameter	CAS No.	Food Simulant	Average	SML value
			[mg/kg]	[mg/kg]
Vinyl acetate *	108-05-4	3% acetic acid	< 1.2	12









Packnowledgy.

Producer(s) of the above product(s) mentioned any substances for which the specific migration limit is established.

## Pentachlorophenol Content (PCP):

## 4.2 Content Analysis

Parameter	CAS No.	Result	Limit value
1,3-Dichlor-2-propanol (DCP) Monochloro-1,2-propandiol (MCPD)	96-23-1	< 2 μg/l	2 μg/l
	96-24-2	4.0 μg/l	12 μg/l

## Extractable heavy metals, incl. Formaldehyde:

### 4.1 Cold Water Extract

Parameter	CAS No.	Result	Limit value
Glyoxal	107-22-2	< 0.02 mg/dm²	1.5 mg/dm <sup>2</sup>
Formaldehyde	50-00-0	< 0.02 mg/dm²	1 mg/dm²
Cadmium (Cd)	7440-43-9	< 5 μg/l	5 μg/l
Lead (Pb)	7439-92-1	< 10 µg/l	10 μg/l
Chromium (Cr)	7440-47-3	< 0.004 mg/dm²	0.004 mg/dm <sup>2</sup>
Chromium (Cr VI)	18540-29-9	< 0.004 mg/dm²	n.d.
1,2-Benzoisothiazolin-3-one (BIT)	2634-33-5	2.7 µg/dm²	80 μg/dm²
2-Methyl-4-isothiazolin-3-on (MIT)	2682-20-4	2.9 µg/dm²	80 μg/dm²
5-Chloro-2-Methyl-4-isothiazolin-3-on (CIT)	26172-55-4	< 0.5 µg/dm²	25 μg/dm²
2-Octyl-4-isothiazolin-3-on (OIT)	26530-20-1	< 0.5 µg/dm²	5 μg/dm²

## **Colourfastness of dyed paper analysis:**

# **Colourfastness of Dyed Paper Analysis**

Parameter	Result	Criteria value <sup>#</sup>
Colourfastness / water	5	5
Colourfastness / 3% vinegar	5	5
Colourfastness / olive oil	5	5
Colourfastness / Alkaline salt solution	5	5

<sup>#</sup> Criteria according to BfR XXXVI. Paper and board for food contact.

Colour fastness is tested according to EN 646:2006, result is grade 5 (grade 5 is no staining, Grade1 is the most serious staining)

Migration of Fluorescent Whitening Agents is tested according to EN 648:2006, result is Grade 5 (grade 5 is no staining, Grade1 is the most serious staining)









The cumulative amount of heavy metals lead (Pb), mercury (Hg), cadmium (Cd), and Chromium VI (Cr) in the materials supplied does not exceed the limit of 100 ppm

#### Intended use

Based on the tests the materials or articles intended to come into contact with food are intended for use under the following conditions:

Types of food: Beverages

Storage: Longterm (18 months) at room temperature or below.

This confirmation does not apply to the unintended use of the product(s) which can result in a change of composition or organoleptic properties of the product(s). The possible specific interactions between the food to be packed and the product(s) is for the user to be examined. Confirmation is based on suppliers declarations, to the best of our knowledge and migration analyses.

This declaration is valid as long as no changes in the composition of the above product(s) and / or the relevant laws have taken place, in which case it will be renewed.

We recommend our customers to verify the regulatory status periodically.

We declare that the information submitted is correct.

Paardekooper Quality Department 06-07-2019





